




02/2015

Mod: CFE 101/R

Production code: 697503



Diamond
catering equipment



ITC-S22039

TABLE 1: TECHNICAL DATA

MODELS 380...400V 3N~

FIGURES	1	2		3	
SHELVES	6 GN 1/1	10 GN 1/1	10 GN 2/1	20 GN 1/1	20 GN 2/1
Model *	_CF/E 6-0	_CF/E 101/1	_CF/E 102/1	_CF/E 201/1	_CF/E 201/1
POWER SUPPLY VOLTAGE (VOLT)	380...400 3N~	380...400 3N~	380...400 3N~	380...400 3N~	380...400 3N~
FREQUENCY (Hz)	50	50	50	50	50
Max. electrical power absorption	7,7	17,3	24,5	35	49
Mains fuses (A)	16-25	32-40	40-63	52	72
Power supply cable cross-section (mm)	5x2.5	5x6	5x10	5x10	5x16
Electrical output fan motor (Kw)	0,19	0,19	0,35	0,19	0,35
Electrical output convection unit(Kw)	7,5	17	24	34	48
Max. food load (kg)	30	50	100	100	180

MODELS 230V 3~

FIGURES	1	2		3	
SHELVES	6 GN 1/1	10 GN 1/1			
Model *	_CF/E 6-0	_CF/E 101/1			
POWER SUPPLY VOLTAGE (VOLT)	230 3~	230 3~			
FREQUENCY (Hz)	50	50			
Max. electrical power absorption	7,7	17,3			
Mains fuses (A)	25	50			
Power supply cable cross-section (mm)	4 x 2.5	4 x 6			
Electrical output fan motor (Kw)	0,19	0,19			
Electrical output convection unit(Kw)	7,5	17			
Max. food load (kg)	30	50			

Noise emissions data: The noise generated by the functional components of the appliances described in this handbook do not exceed 70 dB (A).

* The model of your appliance is indicated in the box marked **Model** on the "Technical Data" plate affixed to the bottom left hand side of the oven.