

12/2018

Mod: AD1B/HG-R2

Production code: AE07V2510-DM



Diamond
catering equipment

Modello - Model - Model - Gerätetyp		AD1B/LG
Code Production		AE07V2510-DM
Descrizione - Description - Description - Beschreibung		700 PV BT
Tipo di teglie - Trays type - Type de plateaux - Blechetyt - Tipo de fuentes		GN 2/1
Range		-20°C -10°C
Scheda Elettronica - Electronic card		EVCO EVX214
Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico - Static - Statique - Stille Kühlung - V = Ventilato - Ventilated - Ventile - Umluftkühlung		Ventilated
Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen		I 700
Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen		
Lunghezza - Width -Largeur - Breite		mm 770
Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür		mm 820/1520
Altezza - Height - Hauteur - Höhe		mm 2025
Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen		
Lunghezza - Width -Largeur - Breite		mm 600
Profondità - Depth - Profondeur - Tiefe		mm 670
Altezza - Height - Hauteur - Höhe		mm 1440
Porte - Doors - Portes - Türen		1, Glass
Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung		Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter 530x650 3
Luce interna - Internal light - Eclairage intérieure - Innerbeleuchtung		② Full Glass Vertical Light
Serratura - Lock - Serrure - Schloss		② ●
Sbrinamento - Defrost - Dégivrage - Abtauen		
Type		Hot Gas
N° Defrost in 24 hrs.		Automatic
Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasser verdunstung		Automatic by Hot Gas
Compressor		embraco
Model		NEU2168U
Potenza - Power - Puissance - Leistung		HP 3/4
T° Evaporation		°C -30
Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung		watt 600
Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		GWP R290 / 3
Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge		gr 120
Potenza assorbita - Total Power - Puissance - Leistung		watt 650W - 3,2 A / 840W - 4 A
Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung		V 230V~ 50Hz
220V/60Hz Voltage		□
Peso Netto - Net weight - Poids net - Netto Gewicht		kg 150
Volume - Volume - Volume - Volumen		mc 61
Versione Predisposta - Remote version - Version sans groupe - Modelle ohne Aggregat Sbrinamento elettrico - Electrical defrosting - Dégivrage électrique - Elektrische Abtauerung		- - -
Efficienza Energetica - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		E
Energia - Energy - Énergie - Energie		kWh / annum 3090
Volume Netto - Net Volume - Volume Net - Nettoinhalt		I 472
Classe Climatica - Climate Class - Classe Climatique - Klima Klasse		4 30°C-55%

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ = Optional

