

04/2019

Mod: CF1N/F86

Production code: AF68X1510-DM


↓	Modello - Model - Model - Gerätetyp	CF1N/L86
	Code Production	AF68X1510-DM

F M L



	Descrizione - Description - Description - Beschreibung		60x80 TN
	Range		-3°C +35°C
	Funzionamento - Operating Mode - Mode de fonctionnement - Betriebsmodus S = Statico - Static - Statique - Stille Kühlung V = Ventilato - Ventilated - Ventilé - Umluftkühlung		V
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	l	750
	N° cicli manuali - N° manual cycles - N° cycles manuels - N° manuelle Zyklen		3
	N° programmi - N° programs - N° programmes - N° Programme		100
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen		
	Lunghezza - Width - Largeur - Breite	mm	790
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü	mm	1010 / 1750
	Altezza - Height - Hauteur - Höhe	mm	2025
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen		
	Lunghezza - Width - Largeur - Breite	mm	640
	Profondità - Depth - Profondeur - Tiefe	mm	860
	Altezza - Height - Hauteur - Höhe	mm	1360
↓	Porte - Doors - Portes - Türen		1, Full
	Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung		20 coppie guide - 20 pairs of slides 20 glissieres - 20 paar führungen
	Capacità teglie - Pans capacity MAX - Capacité bacs - Backblechekapazität	max	n°27 60x80
	Interasse teglie - Pans pitch - Pas des bacs - Backblecheabsatz	mm	50
	Luce interna - Internal light - Eclairage intérieure - Innerbeleuchtung		●
	Serratura - Lock - Serrure - Schloss		●
	Sbrinamento - Defrost - Dégivrages - Abtauen		
	Type		Electric
	N° Defrost in 24 hrs.		6
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Automatic Hot Gas
	Compressor		
	Model		NEK6187Z
	Potenza - Power - Puissance - Leistung	HP	1/4
	T° Evaporation	°C	-10
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt	520
↘	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		R134a / 1430
	Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge	gr	250
↘	Classe Climatica - Climate Class - Classe Climatique - Klima Classe		5 40°C-40%
	Potenza Sistemi Riscaldanti - Heating Power	watt	700
	Potenza Generatore Vapore - Steam generator power	watt	600
	Potenza assorbita REFRIGERAZIONE - Power - Puissance - Leistung	watt	400W / 5,2 A max
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	230V~ 50Hz
	Noise Level	dbA	53
▽	Peso Netto - Net weight - Poids net - Netto Gewicht	kg	150

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ = Optional



I

Ingresso acqua
Water Inlet
d'entrée d'eau
Wasserzulauf
Ø3/4"

(U) = SCARICO ACQUA (ø 3/4")

U

Ingresso acqua
Water Outlet
sortie d'eau
Wasseraustritt
Ø3/4"

