

03/2020

Mod: BCC/XT-06

Production code: 728929 SPECIALE



Informazioni sui prodotti in base al regolamento
(UE) 2015/1095



Produktinformation enligt EU-kommissionens
regelverk 2015/1095



Product information according to commission
regulation (EU) 2015/1095



Tuotteiden asetuksen (EU) 2015/1095 mukaiset
tiedot



Informations sur les produits conformément
au règlement (UE) 2015/1095



Produktinformation i medfør af EU-forordning
2015/1095



Produktinformationen gemäß der Verordnung
(EU) 2015/1095 der Kommission



Opplysninger om produktene i henhold til
rådsforordningen (EU) 2015/1095



Información sobre los productos de acuerdo
con el reglamento (UE) 2015/1095



Informatie over de producten op basis van het
reglement (UE) 2015/1095




Informações sobre os produtos com base no
regulamento (UE) 2015/1095



Πληροφορίες σχετικά με τα προϊόντα βάσει του
κανονισμού (ΕΕ) 2015/1095



DOC. NO. **598R 845 03**
EDITION 4 03.2019

	BC 7KG	BC/ BCF 10KG	BC 15KG	BC/ BCF 15KG	BC 28KG	BC/ BCF 28KG	BC 56KG GN 1/1	BC/ BCF 56KG GN 1/1	BC/ BCF 56KG GN 2/1	BCF 30KG	BCF 50KG	BCF 70KG	BCF 150KG	BCF 200KG
 KG	15	15	20	30	40	40	65	95	80	30	50	100	150	200
 KG	—	5	—	15	—	25	—	65	40	30	50	70	120	170
 KG	R134a 0.480	R404a/ R452a 0.380	R134a 0.800	R404a/ R452a 0.850	R134a 1.530	R404a 1.200 ----- R452a 1.500	R404a 4.000 ----- R452a 2.400	R404a 3.600 ----- R452a 2.400	R404a 3.170 ----- R452a 3.700	R452a 1.150	R452a 2.000	R452a 3.000	R452a 2.100	R452a 3.000
 Kw/h	0.0660	0.0940	0.0680	0.0991	0.0530	0.0950	0.0670	0.0730	0.0760	0.0921	0.0798	0.0708	0.0737	0.0720
 Kw/h	—	0.507	—	0.3553	—	0.2880	—	0.2220	0.2700	0.259	0.2253	0.2016	0.2332	0.2387
 +65° c to +10° C	119'	113'	111'	109'	116'	112'	119'	106'	120'	74'	69'	95'	97'	86'
 +65° c to -18° C	—	250'	—	259'	—	270'	—	263'	248'	264'	245'	247'	258'	270'

R404a = GWP 3922
R134a = GWP 1430
R407a = GWP 2107
R452a = GWP 2141