

03/2020

Mod: 677 # H!&&H8!; F

Production code: +&, - ' + GD97 -5@9



Informazioni sui prodotti in base al regolamento (UE) 2015/1095



Produktinformation enligt EU-kommissionens regelverk 2015/1095



Product information according to commission regulation (EU) 2015/1095



Tuotteiden asetuksen (EU) 2015/1095 mukaiset tiedot



Informations sur les produits conformément au règlement (UE) 2015/1095



Produktinformation i medfør af EU-forordning 2015/1095



Produktinformationen gemäß der Verordnung (EU) 2015/1095 der Kommission



Opplysninger om produktene i henhold til rådsforordningen (EU) 2015/1095



Información sobre los productos de acuerdo con el reglamento (UE) 2015/1095



Informatie over de producten op basis van het reglement (UE) 2015/1095










Informações sobre os produtos com base no regulamento (UE) 2015/1095



Πληροφορίες σχετικά με τα προϊόντα βάσει του κανονισμού (ΕΕ) 2015/1095



DOC. NO. **598R 845 05**
EDITION 1 12.2019

	BCF 7KG	BC 10KG	BC 15KG	BC/ BCF 15KG	BC 28KG	BC/ BCF 28KG	BC 56KG GN 1/1	BC/ BCF 56KG GN 1/1	BC/ BCF 56KG GN 2/1	BCF 30KG	BCF 50KG	BCF 70KG	BCF 150KG	BCF 200KG
 KG	15	15	20	30	40	40	65	95	80	30	50	100	150	200
 KG	5	-	-	15	-	25	-	65	40	30	50	70	120	170
 KG	R452a 0.460	R134a 0.480	R134a 0.800	R452a 0.850	R134a 1.530	R452a 1.500	R452a 2.400	R452a 2.400	R452a 3.700	R452a 1.150	R452a 2.000	R452a 3.000	R452a 2.300	R452a 3.000
 Kw/h	0.1093	0.0655	0.0681	0.0991	0.0530	0.0950	0.0671	0.0731	0.0761	0.0916	0.0798	0.0708	0.0737	0.0720
 Kw/h	0.6109	-	-	0.3553	-	0.2880	-	0.2221	0.2705	0.2534	0.2253	0.2016	0.2332	0.2387
 +65°c to +10°C	105'	119'	111'	109'	116'	112'	119'	106'	120'	74'	69'	95'	97'	86'
 +65°c to -18°C	245'	-	-	259'	-	273'	-	263'	248'	259'	245'	247'	258'	270'

R404a = GWP 3922
R134a = GWP 1430
R407a = GWP 2107
R452a = GWP 2140