

01/2019

Mod: ARP1/H11-R2

Production code: ARL1X2510



Diamond
catering equipment

Modello - Model - Model - Gerätetyp		ARL1X2510	ARL1V2510
	Descrizione - Description - Description - Beschreibung	1PP TN	1PPV TN
	Range	0°C +10°C	+2°C +10°C
	Funzionamento - Operating Mode - Mode de fonctionnement - Betriebsmodus S = Statico - Static - Statique - Stille Kühlung / V = Ventilato - Ventilated - Ventilé - Umluftkühlung	V	V
	Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	l	1250
	Materiale Esterno - External Material - Matériau Extérieur - Werkstoff Außen	304	
	Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen		
	Lunghezza - Width -Largeur - Breite	mm	900
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür	mm	1130/2790
	Altezza - Height - Hauteur - Höhe	mm	2260
	Materiale Interno - Internal Material - Matériau Intérieur - Werkstoff Innen	304	
	Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen		
	Lunghezza - Width -Largeur - Breite	mm	740
	Profondità - Depth - Profondeur - Tiefe	mm	990
	Altezza - Height - Hauteur - Höhe	mm	1850
	Porte - Doors - Portes - Türen	1+1, Full Roll Trough	1+1, Glass Roll Trough
	Carrelli - Trolleys - Chariots - Wagen	n°1 GN 2/1 - 60x80 H=183max	
	Luce interna - Internal light - Eclairage intérieure - Innerbeleuchtung	-	●
	Serratura - Lock - Serrure - Schloss	●	●
	Sbrinamento - Defrost - Dégivrage - Abtauen		
	Type	Hot Gas	Hot Gas
	N° Defrost in 24 hrs.	3	3
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung	Automatic by Hot Gas	Automatic by Hot Gas
	Compressor	embraco	
	Model	NEU6210U	
	Potenza - Power - Puissance - Leistung	HP	1/3
	T° Evaporation	°C	-10
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt	740
	Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp	R290 / 3	
	Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge	gr	100
	Classe Climatica - Climate Class - Classe Climatique - Klima Classe	5 40°C-40%	4 30°C-55%
	Potenza assorbita - Total Power - Puissance - Leistung	watt	500W - 2,6A (700W - 4,9A)
	Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	230V~ 50Hz
	Noise Level	dbA	49
	Peso Netto - Net weight - Poids net - Netto Gewicht	kg	
	Modello predisposto - Model without motor - Modèle sans moteur - Modelle ohne Aggregat Sbrinamento elettrico - Electrical defrosting - Dégivrage électrique - Elektrische Abtauung	ARL1X1R10 - R134a	ARL1V1R10 - R134a

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ = Optional

