





















09/2021

# **Mod: TG3N/H-R2**

**Production code: TEMG3V2510-DM**

 <b>Modello</b> - Model Model - Gerätetyp		<b>TG3N/HA-R2</b>
		<b>TG3N/H-R2</b>
		
 <b>Descrizione</b> - Description - Description - Beschreibung		<b>3 Doors</b>
<b>Tipo di teglie</b> - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		GN 1/1
 <b>Range</b>		-2°C...+8°C
 <b>Scheda Elettronica</b> - Electronic card		EVCO EVX214
 <b>Funzionamento</b> - Operating Mode - Mode de fonctionnemen - Betriebsmodus <b>S</b> = Statico-Static-Statique-Stille Kühlung <b>V</b> = Ventilato-Ventilated-Ventile-Umluftkühlung		V
 <b>Capacità lorda</b> - Gross Capacity - Capacité brute - Bruttovolumen		355
 <b>Dimensioni esterne</b> - External Dimension - Dimensions externes - ußenabmessungen		
Lunghezza - Width -Largeur - Breite		1805
Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü		700/1090
Altezza - Height - Hauteur - Höhe		850
 <b>Dimensioni interne</b> - Internal Dimension - Dimensions internes - Innenabmessungen		
Lunghezza - Width -Largeur - Breite		1239
Profondità - Depth - Profondeur - Tiefe		530
Altezza - Height - Hauteur - Höhe		540
 <b>Porte</b> - Doors - Portes - Türen		3
<b>Dotazione Standard</b> - Standard Equipment - Equipement standard - Standardausstattung		<b>GN 1/1</b> Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter
 <b>Serratura</b> - Lock - Serrure - Schloss		3
<b>Fondo inox</b> - Stainless Steel bottom - Fond inox - Edelstahlgrundboden		<input type="checkbox"/>
 <b>Sbrinamento</b> - Defrost - Dégivrages - Abtauen		
Type		Gas caldo - Hot gas - Gaz chaude - Heissem Gas
N° Defrost in 24 hrs.		3
Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Gas caldo - Hot gas - Gaz chaude - Heissem Gas
 <b>Compressor</b>		
Model		EMC3119U
Potenza - Power - Puissance - Leistung		1/4
Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung		425
 <b>Refrigerante</b> - Refrigerant type - Réfrigérant type - Kältemitteltyp		R290
<b>Quantità di refrigerante</b> - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge		<b>80</b>
 <b>Potenza assorbita</b> - Total Power - Puissance - Leistung		250W - 1A
<b>Tensione alimentazione</b> - Supply Voltage - Tension d'alimentation - Anschlussspannung		230V~ 50Hz
 <b>Peso Netto</b> - Net weight - Poids net - Netto Gewicht		206
<b>Volume</b> - Volume - Volume - Volumen		1,42
 <b>Efficienza Energetica</b> - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		A
 <b>Energia</b> - Energy - Énergie - Energie		621
 <b>Volume Netto</b> - Net Volume - Volume Net - Nettoinhalt		319
 <b>Classe Climatica</b> - Climate Class - Classe Climatique - Klima Classe		5 +40°C 40%

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung    □ = Optional

